





**Ford Explorer**  
**Side Skirts**  
**Installation Manual**

First, please check that the box contains all the parts you ordered. In case of damage to the box or parts, please contact us as soon as possible. Carefully read the manual before installing these parts.







Each side of the side skirt consists of two parts to minimise shipping costs.




Try on the parts by hand and make sure that all the parts fit correctly and nothing sticks out. Remember the area of the part adjacent to the original body of the car.



Apply double-sided tape to the area of the side skirt where it touches the original car body (—), apply double-sided tape to the surface of the two parts of the side skirts(—). Double-sided tape should not be too thick, you can use 3m tape. Clean and degrease the original car body at the bottom twice before installation. The surface should be clean and dry.



**Start with a small part, make sure that the part does not stick out,  
align it at the edges according to the first fitting of the part.  
Strongly press the part to the car body, do the same with a large  
part.**



**If you have children, you drive very fast or you just want to install the parts more firmly, use 5-6 self-tapping screws on each side to better secure the side skirts. Use short self-tapping screws, make sure that the self-tapping screw does not rest against the metal body of the car so as not to damage the paint.**

# Enjoy!







**Thank you for choosing us!**  
**In case of any questions,**  
**please contact us at**  
**[waido.kits@gmail.com](mailto:waido.kits@gmail.com)**